

DONGGUAN HONES MATERIAL TECHNOLOGY CO.,LTD.
YISHA MANAGEMENT ZONE, SHATIAN TOWN, DONGGUAN CITY, GUANGDONG PROV., CHINA.

The following sample(s) was/ were submitted and identified by client as:

Report on the submitted sample said to be:

AD-717, AD-7117, AD7117LR, WR-966, WR-966B, WR-966F, WR-968, WR-990, WR-990A, WR-991, PS-8101, PS-8102, PS-8102A, PS-8103, PS-8105, PS-8108, PS-8108A, PS-8109, PS-8110, PS-8110E, PS-8110H, PS-8112, PS-8116, PS-8168, PS-8663N, NB7651, FB-7712, FB-7716, FB-7732, FL-1046, FL-1048, FL-1081, FL-1011, FL-901, WB-1030, WB-1030S, WB-1030T, WB-1030P, WB-1033, WB-1033N3, WB-1036, WB-1036B, R752, R753, R754, R755, PB1659, PB1657, PB1634, PB1655, PB-168, PB-570, PB570-3, PB-590, PB-801, PB-848, PB-60, PB-66A, PB-60A2, PB-1649, PB-350, PB-350B, PB-5200, PB-1660, WB1025H3C, WB1025H5A, WB1025HA2, WB1026D5, WB1055M6, 3090

Sample Description : 1081, FL-1011, FL-901, WB-1030, WB-1030S, WB-1030T, WB-1030P, WB-1033, WB-1033N3, WB-1036, WB-1036B, R752, R753, R754, R755, PB1659, PB1657, PB1634, PB1655, PB-168, PB-570, PB570-3, PB-590, PB-801, PB-848, PB-60, PB-66A, PB-60A2, PB-1649, PB-350, PB-350B, PB-5200, PB-1660, WB1025H3C, WB1025H5A, WB1025HA2, WB1026D5, WB1055M6, 3090

Division : Footwear Division

Buyer's Name : Adidas

Summary of Test Result : **Pass**

Failure Test Items : /

Age Group : Infant (<36 months), Adults

Material Name/ Code : Glue/WR-991

Color Name/ Code : White/1

Material Component : Acrylic Resin

Content of Recycled Material : N/A

Lot No./ Purchase/ Order No. : /

Season : /

Supplier Name : Dongguan Hontex Chemical Co., Ltd.

Supplier Contact Person : /

Country of Applicant : China

Country of Supplier : -

Country of Destination : -

End Product : (A)/

Sample Classification : Cement systems

Test Required Key Code No. : Cement Systems Under Adidas A-01 Test Standard 2022

Report Type : FT (Full Test)

Full test report No. : /

P.O. No. : /

Additional Information : /

Sample Received Date : Oct 19, 2022

Sample Tested Date : Oct 19, 2022 – Oct 26, 2022

SGS Job No. : SL92219327176701FW



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSI Standards Technical Services Co., Ltd.
Guangzhou Branch

No. 198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86-20) 82155555 f (86-20) 82075169 www.sgs.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075169 sgs.china@sgs.com

Summary of Test Result: (Detail test results on next page)

Test Parameter	Test Method	Conclusion (Pass/Fail)
Chemicals in Cement System	Solvent Extraction, Analysis by LC-MS / GC-MS	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Sample Photo



Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Asan Huang (Approved Signatory)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

COMPONENT LIST / List of Materials

Sample No.	Component No.	Description	Material	Color	Remark
A	1	Glue	Other Materials	Light yellow	

Test Result

Chemicals in Cement System

Test Method: Solvent Extraction. Analysis by LC-MS / GC-MS

	CAS-No.	Result
		1
Benzene	71-43-2	ND
Tetrachloroethane	79-34-5 / 630-20-6	ND
Toluene	108-88-3	ND
Xylene	1330-20-7	ND
Trichloroethylene	79-01-6	ND
Tetrachloroethylene	127-18-4	ND
Dichloromethane	75-09-2	ND
Methylphenol	1319-77-3	ND
Trichloromethane	67-66-3	ND
Cyclohexane	110-82-7	ND
Tetrahydrofuran (THF)	109-99-9	ND
Sum of NP, OP, NPEO and OPEO	--	ND
Dimethylformamide (DMFA)	68-12-2	ND
N,N-Dimethylacetamide (DMAC)	127-19-5	ND
1-Methyl-2-pyrrolidone (NMP)	872-50-4	ND
Monobutyltin (MBT)	--	ND
Dibutyltin (DBT)	--	ND
Triphenyltin (TPhT)	--	ND
Tributyltin (TBT)	--	ND
Trioctyltin (TOT)	--	ND
Monooctyltin (MOT)	--	ND
Diocetyl tin (DOT)	--	ND
Cyclohexanone	108-94-1	ND
C3 and C4 alkylated benzenes	--	ND
Conclusion	--	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSI Standards Technical Services Co., Ltd.
Guangzhou Branch / 广州分公司
Inspection & Testing Services
检验检测专用章

No. 198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 t (86-20) 82155555 f (86-20) 82075169 www.sgs.com.cn
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075169 sgs.china@sgs.com

Note: ND = not detected
mg/kg = ppm
* = Exceeds the TLV

<u>Solvents</u>	<u>Requirement</u>	<u>Reporting Limit</u>
Benzene	5 mg/kg	5 mg/kg
Tetrachloroethane	1000 mg/kg	5 mg/kg
Toluene	1000 mg/kg	5 mg/kg
Xylene	1000 mg/kg	5 mg/kg
Trichloroethylene	1000 mg/kg	5 mg/kg
Tetrachloroethylene	1000 mg/kg	5 mg/kg
Dichloromethane	1000 mg/kg	5 mg/kg
Methylphenol	1000 mg/kg	5 mg/kg
Cyclohexane	1000 mg/kg	5 mg/kg
Trichloromethanol	1000 mg/kg	5 mg/kg
Tetrahydrofuran (THF)	1000 mg/kg	5 mg/kg
Σ of NP, OP, NPEO and OPEO	1000 mg/kg	50 mg/kg
Dimethylformamide (DMFA)	500 mg/kg	50 mg/kg
N,N-Dimethylacetamide (DMAC)	1000 mg/kg	50 mg/kg
1-Methyl-2-pyrrolidone (NMP)	1000 mg/kg	50 mg/kg
Monobutyltin (MBT)	1 mg/kg	0.1 mg/kg
Dibutyltin (DBT)	1 mg/kg	0.1 mg/kg
Triphenyltin (TPhT)	0.5 mg/kg	0.1 mg/kg
Tributyltin (TBT)	n.d.	0.05 mg/kg
Trioctyltin (TOT)	1 mg/kg	0.1 mg/kg
Monooctyltin (MOT)	1 mg/kg	0.1 mg/kg
Diocetyl tin (DOT)	1 mg/kg	0.1 mg/kg
Cyclohexanone	1000 mg/kg	5 mg/kg
C3 and C4 alkylated benzenes	1000 mg/kg	50 mg/kg

The statement of conformity in this test report is only based on measured values by the laboratory and does not take their uncertainties into consideration.

End of Report



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com